



DINMAN
PIPES & FITTINGS



BUSINESS COMPANY PROFILE

MANUFACTURER & EXPORTERS
OF INDUSTRIAL RAW MATERIAL,
FITTINGS, FLANGES & FASTENERS.



+91 9819352982

www.dinmanpipefittings.com

sales@dinmanpipefittings.com

Company Profile

Dinmani Pipes & Fittings is one of the leader amongst manufacturers and exporters of high quality Prefabricated Pipe Spools & Pipe fittings, we also offer customized quality products such as Butt-Weld Fittings, Long Radius bends, Large Diameter Welded 2 Halves Fittings, O'lets, CNC Machining Components and many more with our extra ordinary value added services of Draw, Polish, Hot Dip Galvanizing, Heat Treatments, Sand Blasting, Machining etc. Dinmani is also ISO & PED approved manufacturer.

Specialization

Dinmani is an ISO & PED specialized manufacturer of

- Pipe Fittings
- Customized Long radius Bends
- Pipe Spools
- Flanges
- Forged Fittings
- Fasteners
- Machining Components

Vision & Mission

At Dinmani, our vision is to become the trusted leader in industry, dedicated to delivering exceptional service, fostering innovation, and continuously exceeding customer expectations. We strive to create meaningful connections with every client, ensuring their satisfaction is at the heart of everything we do.

Quality & Policy Statement

At Dinmani, we are committed to providing the highest quality materials that meet or exceed the expectations of our customers. Our dedication to excellence drives every aspect of our manufacturing process, from design to delivery, ensuring the highest standards of quality, precision, and reliability. We adhere to strict quality control measures, backed by continuous monitoring and rigorous testing to ensure that every product we manufacture meets international standards and industry-specific requirements.

Sheets, Plates & Coils

Thickness :- 1MM - 100MM

Width :- 1000MM , 1219MM , 1500MM, 2000MM, 2500MM

Length :- 2000MM, 2440MM, 3000MM, 6000MM

Finish :- HR (Hot Rolled), CR (Cold Rolled),
Satin (Mat Finish With plastic coating)



Pipes

Size :- 3/8" NB - 60" NB

Thickness :- Sch-5 - Sch-XXS

Types :-

- Seamless
- ERW
- EFW
- LSAW
- SPIRAL
- Fabricated

Buttweld Fittings

Size :- 1/2"NB - 60" NB

Thickness :- Sch-5 - Sch-XXS

Dimensions :- ASME B16.9, MSS SP-43, MSS SP-75

Type :- Elbows LR (Long Radius)

SR (Short Radius) (45 Degree, 90 Degree & 180 Degree

Equal & Unequal Tee

Concentric & Eccentric Reducer

Long & Short Stub-End, Barred Tee, Cross, Customized Bends.

Long Radius Bends :- 2D , 3D, 5D, 10D, 20D (Customized Radius).





Tube Fittings

Size :- 1/8" – 2"

Type :- Caps, Plugs, Male Connector, Female Connector, Union, Bulkhead Union, Union Cross, Cross, Double Ferrule Fittings, 90 Degree Elbows, Tee

Forged Fittings

Size :- 1/8" – 4" (Rating- 2000#, 3000#, 6000#, 9000#)

End Connection :- Socket-Weld (SW),

Threaded (NPT, BSP, BSPT)

Dimensions :- ASME B16.11, MSS SP-83 & MSS SP-95

Type :- Elbows (45 Degree & 90 Degree),

Equal & Unequal Tee, Reducing Elbows, Half Coupling,

Full Coupling, Union, Swage Nipple, Hex & Round Head Plug



Olets

Size :- 1/2" – 24"

Rating & Schedule :-

3000#, 6000#, 9000#

& Schedule-10 to Schedule-XXS.

Dimension :- MSS SP-97

Types :- Weld-Olet, Thread-Olet,

Latr-Olet, Sock-Olet, Elb-Olet,

Nip-Olet, Sweep-Olet.

Flanges

Size :- 1/2" - 80"

Class :- 150#, 300#, 400#, 600#, 900#, 1500#, 2500#

Dimension :- ASME B16.5, B16.47 (Series-A & B),
B16.48, EN1092-1, JIS, API-6A & AWWA.

Type :- Weldneck, Socketweld, Slip-On, Blind,
Spectacle Blind, Threaded, Lap Joint, Tongue & Groove
Orifice, Reducing & Customized Flange.



Valves

Size :- 1/2" - 60"

Pressure :- 150#, 300#, 400#,
600#, 900#, 1500#, 2500#

Type :- Butterfly, Globe, Non-Return,
Gate, Ball, Check, Needle & Plug \ Valve.

Pipe Spools

Size :- 1/2" - 48" In Required Schedules.

Specialization:- Customized spools as per your
requirement.





Fasteners

Size :- M4 – M100 & 3/8"-4"

Dimensions :- DIN-933, DIN-3570,
DIN-931, DIN-934, DIN-125, DIN-433

Types :- Allen Head Bolt, Hex Head Bolt,
Stud, Hex Nut, Thin Nut, Lock Nut, Heavy Hex
Nut, Washers , Spring Washer

Gaskets

Size :- 1/2" - 24"

Type :- Spiral Wound Gasket, Ring Type Gaskets,
Corrugated Metal Gaskets, Solid Metal Gaskets,
Double Jacketed Metal Gaskets, Silicon Gaskets.



Electrodes & Filler Wires

Size :- 2MM, 2.5MM, 3.15MM,
3.2MM, 4MM


Length :- 300MM, 350MM,
400MM, 450MM

Linked Chains

Type :- Industrial Chains, Chain Fittings & Hooks,
Chain Slings, Non-Skid Tyre Chains

Dimension :- DIN 5685, DIN 766,
ASTM A391, ISO 3076

Size :- 2MM - 50MM & Custom Sizes.



Coating

3LPE COATING is done on internal & external side of carbon steel fittings as per DIN-30670.

PTFE lines are paste extruded conforms to standard resin specification ASTM D-4895 & is done on carbon steel & stainless steel pipes.

Hot Dip Galvanizing is done on carbon steel pipes & fittings upto 80-100 microns.

Rubber Lining is done on stainless steel & carbon steel pipes & fittings to increase the life span, it is done as per ASTM D-7602.

PPR Pipes & Fittings

Size :- 20MM - 160MM

Ratings :- PN10, PN16 & PN20

Dimensions :- DIN-16962 & DIN-8077/78

Type :- Elbows, Tee, Reducer, Flanges, Stubends & Pipes



MOC

Stainless Steel

ASTM A182, A240, A312, A358, A403, A213, A249, A269, A479, A276
202, 304, 304L, 304H, 316, 316L, 316H, 316Ti, 309, 310, 317, 347, 904L.

Duplex & Super Duplex

ASTM A815, A182, A790 , UNS31803, UNS32205, UNS32760, UNS32750

Cupro Nickel

C70600 (90:10), C71500 (70:30), C71640.

Nickel & Monel

UNS N02200, N02201, N04400, N05500

INCONEL

UNS N06600, N06601, N06625, N08810, N08825, N08031

HASTELLOY

UNS N10276, N06022, N10665

Titanium

Titanium Grade 1/2/3 , DIN-3.7025, DIN-3.7035, DIN-3.7055

Alloy Steel

ASTM A182/ SA234 GR-1, GR-5, GR-9, GR-11, GR-12, GR-22, GR-91.

Carbon Steel

ASTM A105, A106 GRADE A/B/C , SA234 WPB.

LTCS

ASTM A333 GRADE 3/6/9, A350 LF2, A420 WPL6, A516 GRADE 60/70

ADDRESS:

206-A, Shreeji Darshan, Opera House,
Mumbai-400004, Maharashtra India.

Email :- sales@dinmanipipefittings.com
Website :- www.dinmanipipefittings.com